



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

## 1 Identification

### Product identifier

**Product name: CYAN UV LED INK****Article number: TJxx**

## 2 Hazard(s) identification

### Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360 May damage fertility or the unborn child.

### Label elements

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms



GHS07 GHS08

**Signal word** Danger

#### Hazard-determining components of labeling:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester  
photoinitiator

3,3,5-Trimethylcyclohexyl acrylate

2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one

Photoinitiator

#### Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

#### Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK**

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

### Chemical characterization: Mixtures

**Description:** Mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

86273-46-3 2-Propenoic acid, 2-[2-(ethenoxy)ethoxy]ethyl ester	≥ 50 - ≤ 100%
Acute Tox. 4, H302; Skin Sens. 1, H317	
86178-38-3 3,3,5-Trimethylcyclohexyl acrylate	2.5 - 10%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317; STOT SE 3, H336	
photoinitiator	≥ 2.5 - ≤ 10%
Repr. 2, H361	
Photoinitiator	≤ 2.5%
Skin Sens. 1, H317	
71868-10-5 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	≥ 0 - ≤ 2.5%
Repr. 1B, H360; Acute Tox. 4, H302	

## 4 First-aid measures

### Description of first aid measures

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:** If symptoms persist consult doctor.

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

### Extinguishing media

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

**Special hazards arising from the substance or mixture** No further relevant information available.

### Advice for firefighters

**Protective equipment:** No special measures required.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.

### Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK**

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling:**

**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:** No special measures required.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK**

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

<b>Form:</b>	Liquid
<b>Color:</b>	Cyan
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

**pH-value:** Not determined.

#### Change in condition

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.

**Flash point:** Not applicable.

**Flammability (solid, gaseous):** Not applicable.

**Decomposition temperature:** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

#### Explosion limits:

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

**Vapor pressure:** Not determined.

**Density:** Not determined.

**Relative density** Not determined.

**Vapor density** Not determined.

**Evaporation rate** Not determined.

#### Solubility in / Miscibility with

**Water:** Not miscible or difficult to mix.

**Partition coefficient (n-octanol/water):** Not determined.

#### Viscosity:

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK**

## Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

##### Primary irritant effect:

**on the skin:** No irritant effect.

**on the eye:** No irritating effect.

**Sensitization:** Sensitization possible through skin contact.

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

#### Carcinogenic categories

##### IARC (International Agency for Research on Cancer)

119-61-9 benzophenone: 2B

108-88-3 Toluene: 3

100-41-4 ethylbenzene: 2B

##### NTP (National Toxicology Program)

None of the ingredients is listed.

##### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

### Toxicity

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability** No further relevant information available.

#### Behavior in environmental systems:

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Toxic for fish

#### Additional ecological information:

##### General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Safety Data Sheet**

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK****Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation:**

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number****DOT, ADN, IMDG, IATA** not regulated**UN proper shipping name****DOT, ADN, IMDG, IATA** not regulated**Transport hazard class(es)****DOT, ADN, IMDG, IATA****Class** not regulated**Packing group****DOT, IMDG, IATA** not regulated**Environmental hazards:**

Not applicable.

**Special precautions for user**

Not applicable.

**Transport in bulk according to Annex II of****MARPOL73/78 and the IBC Code**

Not applicable.

**UN "Model Regulation":**

not regulated

**15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****SARA****Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

**TSCA (Toxic Substances Control Act):**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester: ACTIVE

86178-38-3 3,3,5-Trimethylcyclohexyl acrylate: ACTIVE

photoinitiator: ACTIVE

Photoinitiator: ACTIVE

71868-10-5 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one: ACTIVE

**Hazardous Air Pollutants**

108-88-3 Toluene

100-41-4 ethylbenzene

**Safety Data Sheet**

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK****Proposition 65****Chemicals known to cause cancer:**

119-61-9 benzophenone

100-41-4 ethylbenzene

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

127-19-5 N,N-dimethylacetamide

**Chemicals known to cause developmental toxicity:**

108-88-3 Toluene

127-19-5 N,N-dimethylacetamide

**Carcinogenic categories****EPA (Environmental Protection Agency)**

108-88-3 Toluene: II

100-41-4 ethylbenzene: D

**TLV (Threshold Limit Value established by ACGIH)**

108-88-3 Toluene: A4

100-41-4 ethylbenzene: A3

127-19-5 N,N-dimethylacetamide: A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labeling:**2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester  
photoinitiator

3,3,5-Trimethylcyclohexyl acrylate

2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one

Photoinitiator

**Hazard statements**

Harmful if swallowed.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

**Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 03/18/2020

Version: 1.0

Reviewed on 03/18/2020

**Product name: CYAN UV LED INK**

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3